







2014 INTERNATIONAL WORKSHOP ON ENVIRONMENT AND ALTERNATIVE ENERGY

Plastic pollution in the oceans studied on the basis of satellite data

Raising environmental awareness thanks to the link between the oceans and space

October 22, 2014


Bouilly Ariane












The garbage patch: myths and realities

What is the truth about plastic pollution in the world's oceans?




Myth – The garbage patch

 There is a floating island of garbage in the middle of the Pacific Ocean



Reality – The garbage patch



Myth – The origin of plastic

Water-based activities are the major causes of marine pollution



Reality – The origin of plastic

Intact objects = Resistant to oceanic conditions



plastic from waterbased activities Degraded objects = Non resistant to oceanic conditions



plastic from landbased sources The garbage patch: myths and realities

Myth - Impacts

Plastic is just an aesthetic problem







Reality - Impacts

Threatens marine wildlife



Allows toxins to enter the food chain



Provides long term habitat for organisms

Persists for hundreds of years

great potential to alter the environment and impact humans & wildlife

What information could satellites contribute?

Global and local studies: complementary approaches




Local studies / Global studies

- The contribution of the expeditions
 - Information about the nature and impacts of plastic
 - Poignant evidence of this remote pollution
 - BUT localized and infrequent studies
- The need for global knowledge
 - Information about the gyres' size, their locations
 - AND continuous studies
- Models using satellite data and spatial imagery could respond to this need



Models using satellite data




Why use models?

- Predict where the accumulation zones in the oceans are located
- Guide the expeditions with greater accuracy




Models using satellite data

What models exist?





North Atlantic Ocean drift



Simulation de dérive de particules à la surface de l'Océan Atlantique Nord Drift computation on the North Atlantic Ocean surface








Satellite observations

- The complementarity of models and space-based observation
 - Models globally predict the gyres' locations
 - BUT models ≠ reality
- Being able to visualize the polluted zones would enable us to :
 - Monitor changes
 - Show the extent of this pollution






Space imagery

State of the art :

 Until today, no one has managed to locate the plastic accumulation zones from space

Problems to be overcome :


- Deceitful pollution which cannot be easily seen
 - millimeter-length nature
 - sub-surface flotation
 - relatively low concentration





Satellites of interest

- Very High Resolution Optical Imagers (eg: Pleiades)
 - Often used in precise cartography
 - Goal : detect macro plastic waste









Satellites of interest

- RADAR Systems (eg : TerraSAR-X)
 - Often used for oil slick detection
 - Goal : detect a possible impact of plastic particles on sea surface structure









Satellites of interest

- Moderate resolution imaging systems (eg: Aqua / MODIS)
 - Some used for ocean color studies

Goal : detect a possible modification of ocean color due to

floating micro plastic






Plastic could soon be monitored from space thanks to innovative approaches

Associating satellite imaging with in-situ measures: the key to finding a particular signature associated with the plastic?



The space imagery component

An innovative approach




Optimizing the possibilities for satellite images analysis



The space imagery component

An innovative approach



Acquiring in-situ and spatial collocated observations






Routing the Expedition

- Goals of the routing
 - Direct the ship towards the gyre position shown by the drift model
 - Synchronize its path with satellites trajectories
- Many constraints to be considered
 - The presumed location of plastic
 - The navigation constraints
 - The needs of the other scientific components
 - Satellite trajectories



Routing the Expedition

The projected and actual route



Conclusions




Conclusions

- A « successful » search for plastic
 - Plastic is sometimes concentrated in veins of plastic
- Mercator Océan's model has been proven to be particularly accurate
- This innovative approach needs to be re-tested
 - Crucial need for in-situ measurements



Conclusions

Let's remember the key point





Acknowledgments















Thank you for your attention

Any questions?